Heat Transfer Asian Research
Subject Index to Volume 33, 2004

Adjoint analysis: **3**, 161-174
Alternative refrigeration: **8**, 540-552
Analytical solution: **2**, 129-139
Approximate integration: **3**, 153-160
Artificial neural network (ANN): **3**, 153-160

Backward-facing step: **8**, 490-504
Binary mixture: **4**, 229-244
Boiling: **2**, 94-105; **7**, 462-471

Catalyzer: **1**, 1-11
Channel flow: **6**, 357-370; **8**, 490-504
Chemical reaction: **2**, 106-116
Chemical vapor deposition: **2**, 106-116
CHF: **5**, 316-329
Circular pipe: **2**, 129-139
Coherent structures: **5**, 287-298, 342-356
Condensation curve: **8**, 505-514
Condensing: **2**, 94-105
Conductive wall: **2**, 129-139
Conjugate heat transfer: **2**, 117-128
Contact angle: **2**, 81-93
Contact angle hysteresis: **4**, 201-210
Convection: **5**, 330-341
Convective condensation heat transfer: **4**, 219-228
Cool-thermal storage: **3**, 189-200
Coupled heat transfer: **5**, 299-306
Coupled radiation and conduction: **5**, 271-278
Coupled radiation-convection heat transfer: **1**, 53-63, 64-72
Critical blowing ratio: **2**, 73-80

Developing flow: **1**, 53-63; **5**, 299-306
Digital particle imaging velocimetry: **1**, 24-31
Direct numerical simulation: **5**, 342-356
Disc: **5**, 307-315
Distributor: **6**, 402-410
Dropwise condensation: **8**, 505-514
Dustpan-shaped hole: **2**, 73-80

Electrochemical mass transfer technique: **7**, 417-430
Electronic cooling: **1**, 42-52
Electronic equipment: **8**, 473-489

Endwall: **3**, 141-152
Enhancement: **4**, 229-244
Enthalpy method: **1**, 32-41
Evaporation: **4**, 245-257
Experiment: **3**, 141-152
Experimental research: **5**, 307-315
Experimental visualization: **5**, 342-356

Fan-shaped hole: **2**, 73-80
Film cooling: **2**, 73-80; **3**, 141-152
Film cooling effectiveness: **3**, 141-152
Fin: **1**, 12-23
Fin efficiency: **4**, 258-269
Finite difference method: **2**, 81-93; **6**, 383-392
Flip chip: **6**, 371-382
Flow distribution: **6**, 402-410
Flow-induced vibration: **4**, 211-218
Flow pattern and transition: **7**, 445-461
Forced convection: **4**, 245-257
Forced convection heat transfer: **3**, 161-174
Fouling: **5**, 316-329
Fully developed stage: **5**, 342-356

Gao-Yong rational equations: **5**, 287-298
Gas-liquid two-phase flow: **7**, 445-461

Heat and mass transfer: **6**, 393-401
Heat conduction: **4**, 258-269
Heat exchanger: **1**, 12-23; **3**, 153-160; **4**, 211-218, 245-257, 258-269; **7**, 431-444
Heat transfer: **1**, 12-23; **2**, 73-80, 94-105; **3**, 141-152; **5**, 307-315, 330-341; **7**, 417-430; **8**, 490-504, 527-539
Heat transfer coefficient: **3**, 141-152
Heat transfer enhancement: **2**, 129-139; **4**, 211-218, 258-269; **5**, 279-286; **7**, 462-471
Heated/cooled tubes: **1**, 64-72
High Rayleigh number: **7**, 417-430
High-temperature heat-pipe fin: **6**, 411-416
Horizontal plate: **8**, 527-539
Hydrogen concentration probe: **1**, 1-11
Hysteresis tension: **4**, 201-210

Integration of absolute temperature: **2**, 117-128
Interaction: **8**, 527-539
Interference plate: **7**, 462-471

Jet-to-crossflow: **1**, 24-31

L-shaped corner: **8**, 527-539
Large eddy simulation: **3**, 175-188
Latent functionally thermal fluid: **6**, 383-392
LNG tank: **7**, 417-430
Loop heat pipe: **1**, 42-52; **8**, 515-526
Low superheat: **7**, 462-471

Marangoni force: **2**, 81-93
Mass transfer: **7**, 417-430
Microgravity: **5**, 316-329
Microsegregation: **6**, 393-401
Mixture gas: **4**, 219-228
Model: **3**, 153-160
Modeling: **7**, 445-461
Modeling method: **1**, 12-23
Modified form of outflow condition: **3**, 175-188
Moving heat source method: **6**, 383-392
Multiphase flow: **7**, 445-461

Narrow space: **7**, 462-471
Narrow spaces: **5**, 307-315
Natural convection: **7**, 417-430; **8**, 527-539
Non-isothermal round jet: **5**, 342-356
Nonequilibrium: **2**, 106-116
Numerical analysis: **1**, 12-23; **3**, 161-174; **6**, 357-370; **8**, 473-489
Numerical simulation: **1**, 32-41, 64-72; **6**, 393-401

Obstruction by an array of square rods: **6**, 357-370
Optimal control: **3**, 161-174
Oscillation: **2**, 129-139

Panel cooler: **2**, 94-105
Participating medium: **1**, 64-72
PBGA: **6**, 371-382
Periodic cooling: **5**, 330-341
Phase change material: **1**, 32-41
Phase delay: **5**, 330-341
Photovoltaic wall: **2**, 117-128
Pipe flow: **2**, 129-139
Plasma: **2**, 106-116
Plate: **4**, 245-257
Plate-fin heat exchanger: **6**, 402-410
Pool boiling: **4**, 229-244; **5**, 307-315, 316-329
Porous media: **5**, 330-341
Prediction: **4**, 245-257
Pressing sintering: **8**, 515-526
Pressure drop: **4**, 245-257; **7**, 431-444; **8**, 490-504
Pressure loss: **1**, 12-23
Pulsating flow: **5**, 279-286

Ray tracing/node analysis method: **5**, 271-278
Refrigerant: **4**, 245-257
Resonator: **5**, 279-286
Reverse computation: **3**, 161-174
Rocket engines: **5**, 271-278
Roughness: **4**, 201-210
Round jet: **3**, 175-188

Scalar transport: **3**, 175-188
Scramjet engine: **1**, 1-11
Self-oscillator: **5**, 279-286
Serrated fin: **7**, 431-444
Sessile drop: **4**, 201-210
Shock wave: **1**, 1-11
Silent discharge: **2**, 106-116
Silicon oxide film: **2**, 106-116
Simple prediction method: **1**, 12-23
Sleeve tube: **1**, 24-31
Small cylinder: **5**, 316-329
Solar dynamic: **1**, 32-41
Solidification: **5**, 330-341; **6**, 393-401
Spatially periodic boundary condition: **6**, 357-370
Spiral fin: **7**, 431-444
Startup process: **6**, 411-416
Strouhal number: **6**, 357-370
Supersonic flow: **1**, 1-11
Surface-active agent: **4**, 229-244
Surface tension: **2**, 81-93; **4**, 229-244
Switch mode power supply: **8**, 473-489

Temperature pulsation: **6**, 411-416
Tetraethyl orthosilicate: **2**, 106-116
The control volume method: **1**, 53-63
The discrete ordinate method: **1**, 53-63
Thermal analysis: **6**, 371-382
Thermal barrier coatings: **5**, 271-278
Thermal boundary condition: **3**, 161-174
Thermal conductivity: **8**, 540-552
Thermal design: **8**, 473-489
Thermal diffusivity: **8**, 540-552
Thermal energy storage: **1**, 32-41
Thermal radiation: **5**, 299-306
Thermosiphon: **2**, 94-105
Transient hot-wire method: **8**, 540-552
Turbine cascade: **3**, 141-152

Turbulence: **5**, 287-298; **8**, 490-504

Unsteady flow: **1**, 1-11; **6**, 357-370

Vacuum freezing: **3**, 189-200
Velocity profile: **8**, 490-504
Visualization: **8**, 527-539
Visualization of flow: **7**, 417-430
Vortex structure: **1**, 24-31

Wastewater pretreatment: **3**, 189-200
Water: **4**, 245-257
Water and ethanol vapor: **8**, 505-514
Wettability: **5**, 316-329
Wick structure: **1**, 42-52; **8**, 515-526
Winding tube: **4**, 245-257